

Safety Data Sheet

According to Regulation (EC) No 1907/2006

TASKI Sprint Flower SD

Revision: 2020-03-22

Version: 05.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Sprint Flower SD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For professional use only. AISE-P301 - General purpose cleaner. Manual process AISE-P302 - General purpose cleaner. Spray and wipe manual process Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Hygiene Sales Limited Jamestown Road, Finglas, Dublin 11, Ireland Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) National Poisons Information Centre Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week) Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flam. Liq. 3 (H226) STOT SE 3 (H336) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) (Methylchloroisothiazolinone, Methylisothiazolinone), sulphonic acids, C14-17-sec-alkane, sodium salts (Sodium C14-17 Alkyl Sec Sulfonate), alkyl alcohol ethoxylate (Trideceth-8), propan-2-ol (Isopropyl Alcohol), citronellol (Citronellol)

Hazard statements:

H226 - Flammable liquid and vapour.

- H336 May cause drowsiness or dizziness.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- EUH208 May produce an allergic reaction.

Precautionary statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P403 + P235 - Store in a well-ventilated place. Keep cool.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
propan-2-ol	200-661-7	67-63-0	01-2119457558-25	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)		20-30
sulphonic acids, C14-17-sec-alkane, sodium salts	307-055-2	97489-15-1	01-2119489924-20	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		10-20
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10
2-phenylethanol	200-456-2	60-12-8	01-2119963921-31	Acute Tox. 3 (H311) Acute Tox. 4 (H302) Eye Irrit. 2 (H319)		0.1-1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or physician if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. Skin contact: Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician. Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious Ingestion: person. Get medical attention or advice if you feel unwell. Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2. 4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	May cause drowsiness or dizziness.
Skin contact:	Causes irritation.
Eye contact:	Causes severe or permanent damage.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area. Wear eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use explosion-proof electrical, ventilating or lighting equipment. Use non-sparking tools.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Take off contaminated clothing. Wash contaminated clothing before reuse. Store used personal protective equipment separately. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep cool. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
propan-2-ol	200 ppm	400 ppm

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

DNEL dermal exposure - Consumer

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propan-2-ol	-	-	-	26
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	7.1
alkyl alcohol ethoxylate	-	-	-	-
2-phenylethanol	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
propan-2-ol	No data available	-	No data available	888
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm ² skin	-	2.8 mg/cm ² skin	5
alkyl alcohol ethoxylate	-	-	-	-
2-phenylethanol	No data available	No data available	No data available	No data available

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
propan-2-ol	No data available	-	-	319
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm ² skin	-	2.8 mg/cm ² skin	3.57
alkyl alcohol ethoxylate	-	-	-	-
2-phenylethanol	No data available	No data available	No data available	No data available
	-	· · · · ·		

DNEL inhalatory exposure - Worker (mg/m ³)				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propan-2-ol	-	-	-	500
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	35

-	-	-	No data available
No data available	No data available	No data available	No data available
		Long term - Local	Long term - Systemic
effects	effects	effects	effects
-	-	-	89
-	-	-	12.4
No data available	No data available	-	-
No data available	No data available	No data available	No data available
	Short term - Local effects - - No data available	Short term - Local effects Short term - Systemic effects - - - - - - No data available No data available	Short term - Local effects Short term - Systemic effects Long term - Local effects - - - - - - - - - No data available No data available -

Environmental exposure Environmental exposure - PNEC

(mg/l)	(mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
140.9	140.9	140.9	2251
0.04	0.004	0.06	600
-	-	-	-
No data available	No data available	No data available	No data available
-	140.9 0.04 -	140.9 140.9 0.04 0.004 - -	140.9 140.9 140.9 0.04 0.004 0.06 - - -

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
propan-2-ol	552	552	28	-
sulphonic acids, C14-17-sec-alkane, sodium salts	9.4	0.94	9.4	No data available
alkyl alcohol ethoxylate	-	-	-	-
2-phenylethanol	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product: Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: Appropriate organisational controls:	If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Avoid direct contact and/or splashes where possible. Train personnel.
Personal protective equipment Eye / face protection: Hand protection:	Safety glasses or goggles (EN 166). Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min
Body protection: Respiratory protection:	Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen. No special requirements under normal use conditions. No special requirements under normal use conditions.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (%): 2

Appropriate engineering controls: Appropriate organisational controls:	Provide a good standard of general ventilation. No special requirements under normal use conditions.
Personal protective equipment Eye / face protection: Hand protection: Body protection: Respiratory protection:	No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.
Environmental exposure controls:	No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Liquid Colour: Clear, Blue Odour: Perfumed Odour threshold: Not applicable $pH \approx 7$ (neat) Dilution $pH:\approx 7$ (2%) Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

ISO 4316 ISO 4316 Not relevant to classification of this product See substance data

Substance data, boiling point

Ingredient(s)	Value	Method	Atmospheric pressure
	(°C)		(hPa)
propan-2-ol	82	Method not given	1013
sulphonic acids, C14-17-sec-alkane, sodium salts	> 100	Method not given	
alkyl alcohol ethoxylate	> 200	Method not given	
2-phenylethanol	No data available		

Method / remark

Method / remark

Flammability (liquid): Flammable.
Flash point (°C): ≈ 26 °C
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)
Evaporation rate: Not relevant for classification of this product.
Flammability (solid, gas): Not applicable to liquids
Upper/lower flammability limit (%): Not determined

propan-2-ol

Not relevant to classification of this product

13

See substance data

Substance data, flammability or explosive limits, if available:		
Ingredient(s)	Lower limit	Upper limit
	(% vol)	(% vol)

Method / remark

2

See substance data

Substance data, vapour pressure

Vapour pressure: Not determined

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
propan-2-ol	4200	Method not given	20
sulphonic acids, C14-17-sec-alkane, sodium salts	3000	Method not given	25
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
2-phenylethanol	No data available		

Vapour density: Not determined Relative density: ≈ 0.97 (20 °C) Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
propan-2-ol	Soluble	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	500	Method not given	25
alkyl alcohol ethoxylate	Soluble	Method not given	20
2-phenylethanol	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined

Decomposition temperature: Not applicable. Viscosity: Not determined Explosive properties: Not explosive. Vapours may form explosive mixtures with air. Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

Method / remark

Not relevant to classification of this product OECD 109 (EU A.3)

Method / remark

DM-006 Viscosity - Additional

Not relevant to classification of this product Weight of evidence

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
propan-2-ol	LD 50	3570	Rat	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	LD 50	> 500-2000	Rat	OECD 401 (EU B.1)	
alkyl alcohol ethoxylate	LD 50	> 300-2000	Rat	OECD 423 (EU B.1 tris)	
2-phenylethanol	LD 50	1790			

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
propan-2-ol	LD 50	> 2000	Rabbit	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	LD 50	> 2000	Mouse	Weight of evidence	
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given	
2-phenylethanol	LD 50	2500			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			
alkyl alcohol ethoxylate		No data available			
2-phenylethanol		No data available			

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	
sulphonic acids, C14-17-sec-alkane, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4) Read across	
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
2-phenylethanol	No data available			

Eye irritation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	
sulphonic acids, C14-17-sec-alkane, sodium salts	Severe damage		OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
2-phenylethanol	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			
alkyl alcohol ethoxylate	No data available			
2-phenylethanol	No data available			

Sensitisation

Sensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sulphonic acids, C14-17-sec-alkane, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT Read across	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
2-phenylethanol	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			
alkyl alcohol ethoxylate	No data available			
2-phenylethanol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
sulphonic acids, C14-17-sec-alkane, sodium salts	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	Method not given
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	Method not given
2-phenylethanol	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
propan-2-ol	No evidence for carcinogenicity, negative test results
sulphonic acids, C14-17-sec-alkane, sodium salts	No evidence for carcinogenicity, negative test results
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
2-phenylethanol	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
propan-2-ol			No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts			No data available				No evidence for reproductive toxicity
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
2-phenylethanol			No data available				

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
propan-2-ol		No data				
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts	NOAEL	200	Rat	Method not		
				given		
alkyl alcohol ethoxylate		No data				
		available				
2-phenylethanol		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propan-2-ol		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				
alkyl alcohol ethoxylate		No data available				
2-phenylethanol		No data available				
Sub-chronic inhalation toxicity						

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs	

	(mg/kg bw/d)	time (days)	affected
propan-2-ol	No data available		
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available		
alkyl alcohol ethoxylate	No data available		
2-phenylethanol	No data available		

Chronic toxicity								
Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
propan-2-ol			No data available					
sulphonic acids, C14-17-sec-alkane, sodium salts	Oral	NOAEL	> 4000	Rat	Method not given			
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
2-phenylethanol			No data available					

STOT-single exposure	
Ingredient(s)	Affected organ(s)
propan-2-ol	Central nervous system
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available
alkyl alcohol ethoxylate	Not applicable
2-phenylethanol	No data available

STOT-repeated exposure

STOT-repeated exposure	
Ingredient(s)	Affected organ(s)
propan-2-ol	Central nervous system
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available
alkyl alcohol ethoxylate	Not applicable
2-phenylethanol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48
sulphonic acids, C14-17-sec-alkane, sodium salts	LC 50	1 - 10	Brachydanio rerio	OECD 203, static	96
alkyl alcohol ethoxylate	LC 50	1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96
2-phenylethanol		No data available			

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48
sulphonic acids, C14-17-sec-alkane, sodium salts	EC 50	9.81	Daphnia magna Straus	OECD 202 (EU C.2)	48
alkyl alcohol ethoxylate	EC 50	1 - 10	Daphnia magna Straus	OECD 202, static	48
2-phenylethanol		No data available			

Aquatic short-term toxicity - algae					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	EC 50	> 100	Scenedesmus quadricauda	Method not given	72
sulphonic acids, C14-17-sec-alkane, sodium salts	EC 50	> 61	Pseudokirchner iella	OECD 201 (EU C.3)	72

			subcapitata		
alkyl alcohol ethoxylate	EC 50	1 - 10	Desmodesmus subspicatus	OECD 201, static	72
2-phenylethanol		No data available			

Aquatic short-term toxicity - marine species					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
propan-2-ol		No data available			-
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-
alkyl alcohol ethoxylate		No data available			-
2-phenylethanol		No data available			

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	600	Pseudomonas putida	DIN 38412 / Part 8	16 hour(s)
alkyl alcohol ethoxylate	EC 10	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
2-phenylethanol		No data available			

Aquatic long-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propan-2-ol		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	0.85	Oncorhynchus mykiss	OECD 204	28 day(s)	
alkyl alcohol ethoxylate		No data available				
2-phenylethanol		No data available				

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propan-2-ol		No data				
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	0.36	Daphnia	OECD 202	22 day(s)	
			magna			
alkyl alcohol ethoxylate		No data				
		available				
2-phenylethanol		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
2-phenylethanol		No data available				

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	470	Eisenia fetida	OECD 222	56	
alkyl alcohol ethoxylate	NOEC	220	Eisenia fetida		-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data			-	
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data			-	
		available				

alkyl alcohol ethoxylate	NOEC	10	Lepidium sativum	OECD 208	-	
Terrestrial toxicity - birds, if available:				•		
Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-	
alkyl alcohol ethoxylate		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-	
alkyl alcohol ethoxylate		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-	
alkyl alcohol ethoxylate		No data available			-	

12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions							
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation		
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable		
sulphonic acids, C14-17-sec-alkane, sodium salts	Activated sludge, aerobe	DOC reduction	89 % in 28 day(s)	OECD 301E	Readily biodegradable		
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable		
2-phenylethanol	Activated sludge, aerobe		78.61%	OECD 301B	Readily biodegradable		

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)							
Ingredient(s)	Value	Method	Evaluation	Remark			
propan-2-ol	0.05	OECD 107	No bioaccumulation expected				
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available		No bioaccumulation expected				
alkyl alcohol ethoxylate	-		No bioaccumulation expected				
2-phenylethanol	No data available						

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
propan-2-ol	No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available				
alkyl alcohol ethoxylate	-			No bioaccumulation expected	
2-phenylethanol	No data available				

12.4 Mobility in soil Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
propan-2-ol	No data available				Potential for mobility in soil, soluble in water

sulphonic acids, C14-17-sec-alkane, sodium salts	No data available		
alkyl alcohol ethoxylate	No data available		Immobile in soil or sediment
2-phenylethanol	No data available		

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

European Waste Catalogue:

Empty packaging Recommendation: Suitable cleaning agents: material is suitable for energy recovery or recycling in line with local legislation. 20 01 29* - detergents containing dangerous substances.

The concentrated contents or contaminated packaging should be disposed of by a certified handler

or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 3

14.4 Packing group: III

14.1 UN number: 198714.2 UN proper shipping name: Alcohols, n.o.s. (isopropanol)

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: F1

Tunnel restriction code: D/E

Hazard identification number: 30

IMO/IMDG

EmS: F-E, S-D

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

EU regulations:

Regulation (EC) No. 1907/2006 - REACH

Regulation (EC) No 1272/2008 - CLP

Regulation (EC) No. 648/2004 - Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: W8W0-90NN-C00Q-AQ60

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants, non-ionic surfactants perfumes, Citronellol, Benzyl Salicylate, Geraniol, Hexyl Cinnamal, Benzyl Alcohol, Methylchloroisothiazolinone, Methylisothiazolinone 5 - 15 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Version: 05.0

SDS code: MS1000838

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 4, 6, 7, 8, 9, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H225 Highly flammable liquid and vapour.
- · H226 Flammable liquid and vapour.
- · H290 May be corrosive to metals.
- · H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways. • H311 - Toxic in contact with skin.
- · H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- · H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H320 Causes eye irritation.
 H331 Toxic if inhaled.
- · H332 Harmful if inhaled.
- · H335 May cause respiratory irritation. · H336 - May cause drowsiness or dizziness.
- · H360 May damage fertility or the unborn child.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- · H412 Harmful to aquatic life with long lasting effects.
- · EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- DNEL Derived No Effect Limit
- · EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate
- LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- · EC50 effective concentration, 50%
- NOEL No observed effect level
- NOAEL No observed adverse effect level OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet

Revision: 2020-03-22