

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	HP Color LaserJet CF542A-X Yellow Print Cartridge
Registration number	-
Synonyms	None.
Issue date	04-Oct-2017
Version number	02
Revision date	02-Aug-2018
Supersedes date	04-Oct-2017
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Identified uses	This product is a yellow toner preparation that is used in HP Color LaserJet Pro M254/HP Color LaserJet Pro MFP M280/HP Color LaserJet Pro MFP M281 series printers.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
Line (Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
(Direct) Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Amorphous silica, Pigment, Styrene acrylate copolymer, Wax
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

neral information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification:		-			
Pigment	<10	Trade Secret	-	-	
Classification:		-			
Wax	<10	Trade Secret	-	-	
Classification:		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification:		201 040 4			

SECTION 4: First aid measures

General	information
Concia	mormation

Not available.

4.1. Description of first aid measures			
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.		
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.		
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.		
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.		
4.2. Most important symptoms and effects, both acute and delayed	Not available.		
4.3. Indication of any immediate medical attention and special treatment needed	Not available.		

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, prote	ctive equipment and emergency procedures	
For non-emergency personnel	Minimize dust generation and accumulation.	
For emergency responders	Not available.	
6.2. Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.	
Material name: CF542A-X		SDS UK

6.3. Methods and material for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
6.4. Reference to other sections	Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

•=•··•·•	
8.1. Control parameters	
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Not available.
Derived no effect levels (DNELs)	Not available.
Predicted no effect concentrations (PNECs)	Not available.
Exposure guidelines	, 5 mg/m3 (Respirable Fraction)
	, 3 mg/m3 (Respirable Particulate)
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)
	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)
8.2. Exposure controls	
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measures,	such as personal protective equipment
General information	No personal respiratory protective equipment required under normal conditions of use.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Not available.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Yellow
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.

Initial boiling point and boiling	Not applicable	
range		
Flash point	Not applicable	
Evaporation rate	Not applicable	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not flammable	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not applicable	
Vapor density	Not applicable	
Solubility(ies)		
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not applicable	
Decomposition temperature	> 392 °F (> 200 °C)	
Viscosity	Not applicable	
Explosive properties	Not available.	
Oxidizing properties	No information available.	
9.2. Other information		
Percent volatile	0 % estimated	
Softening point	176 - 266 °F (80 - 130 °C)	
Specific gravity	1 - 1.2	
SECTION 10: Stability and reactivity		
10.1. Reactivity	Not available.	
10.2. Chemical stability	Stable under normal storage conditions.	

10.2. Chemical stability	Stable under normal storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Imaging Drum: Exposure to light
10.5. Incompatible materials	Strong oxidizers
10.6. Hazardous decomposition products	Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

Not available.

Information on likely routes of exposure

General information

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.
Symptoms	Not available.

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.		
Product	Species	Test Results	
CF542A-X			
Acute			
LD50		> 2000 mg/kg	
Skin corrosion/irritation	Based on available data, the cla	assification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the cl	assification criteria are not met.	
Respiratory sensitization	Based on available data, the cla	assification criteria are not met.	
Skin sensitization	Based on available data, the cl	assification criteria are not met.	

Material name: CF542A-X

14375 Version #: 02 Revision date: 02-Aug-2018 Issue date: 04-Oct-2017

Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
IARC Monographs. Overall E	Evaluation of Carcinogenicity		
Amorphous silica (CAS 7	631-86-9) 3 Not classifiable as to carcinogenicity to humans.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Mixture versus substance information	Not available.		
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		

SECTION 12: Ecological information

12.1. Toxicity	LC50: > 100 mg/l, Fish, 96.00 Hours		
Product		Species	Test Results
CF542A-X			
Aquatic			
Algae	ErC50	Algae	> 100 mg/l, 72 Hours
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours
Fish	LC50	Fish	> 100 mg/l, 96 Hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow)	Not available.		
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or v	vPvB substance or mixture.	
12.6. Other adverse effects	Not available.		
SECTION 13: Disposal co	onsiderations	;	
13.1. Waste treatment methods			
Residual waste	Not available.		
Contaminated packaging	Not available.		
EU waste code	Not available.		
Disposal methods/information		toner cartridge, unless dust-explosion prev ticles may form explosive mixtures in air. E al regulations.	
	of HP original	artners (trademark) supplies recycling pro- inkjet and LaserJet supplies. For more in your location, please visit http://www.hp.c	

SECTION 14: Transport information

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
SECTION 16: Other in	nformation
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
National regulations	Not available.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Not listed.	n major accident nazaras myörying dangeröds substances, as amended
-	on major accident hazards involving dangerous substances, as amended
Other EU regulations	
Not listed. Directive 2004/37/EC: work Not regulated.	on the protection of workers from the risks related to exposure to carcinogens and mutagens at
Regulation (EC) No. 1	907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Restrictions on use	
Not listed.	
Regulation (EC) No. 1	43/2011 Annex XIV Substances Subject to Authorization
Authorizations	
Not listed.	
Not listed. Regulation (EC) No. 1	907/2006, REACH Article 59(1) Candidate List as currently published by ECHA
• • • •	66/2006 Annex II Pollutant Release and Transfer Registry
Not listed.	49/2012 concerning the export and import of dangerous chemicals, Annex V as amended
Regulation (EU) No. 6 Not listed.	49/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed.	49/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.	49/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Not listed.	

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of
substances and mixtures, and amendments (CLP).Information on evaluation
method leading to the
classification of mixtureThe classification for health and environmental hazards is derived by a combination of calculation
methods and test data, if available.Full text of any H-statements
not written out in full under
Sections 2 to 15None.Revision informationSECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture
SECTION 6: Accidental release measures: 6.3. Methods and material for containment and

Training information

n Follow training instructions when handling this material.

SECTION 16: Other information: Disclaimer

cleaning up

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds