Niceday Professional - All in one dishwasher tabs

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Niceday Professional - All in one dishwasher tabs

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Dishwashing detergent

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Distributor: Office Depot International B.V, Columbusweg 33, 5928 LA Venlo, the Netherlands www.officedepot.eu tom.bouman@officedepot.eu

1.4 Emergency telephone number: Tel 0031 (0)77 323 8888

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313: If eye irritation persists: Get medical advice/attention

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Niceday Professional - All in one dishwasher tabs

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification		Chemical name/Classification	Concentration
CAS: 497-19-8		Sodium carbonate (1)	ATP CLP00	
	207-838-8 011-005-00-2 01-2119485498-19- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	20 - <25 %
CAS:	15630-89-4	Disodium carbonate,	compound with hydrogen peroxide (2:3) ⁽¹⁾ Self-classified	
Index: No REACH: 01-	239-707-6 Non-applicable 01-2119457268-30- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318; Ox. Sol. 2: H272 - Danger	10 - <20 %
CAS: 13870-28-5 EC: 237-623-4 Index: Non-applicable REACH: 01-2119485031-47- XXXX		Disodium disilicate ⁽¹⁾	Self-classified	
	Non-applicable 01-2119485031-47-	Regulation 1272/2008	Eye Dam. 1: H318 - Danger	5 - <8 %
CAS:	68439-51-0	Alcohols, C12-14, eth	oxylated propoxylated ⁽¹⁾ Self-classified	
EC: Index: REACH:	Non-applicable Non-applicable Non-applicable	Regulation 1272/2008	Aquatic Chronic 3: H412	1 - <3 %
CAS:	5970-45-6	Zinc di(acetate) · 2H2	O(1) Self-classified	
	209-170-2 Non-applicable 01-2120119383-62- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335 - Warning	<0,151 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
Disodium carbonate, compound with hydrogen peroxide (2:3) CAS: 15630-89-4 EC: 239-707-6	% (w/w) >=25: Eye Dam. 1 - H318 7,5<= % (w/w) <25: Eye Irrit. 2 - H319
Disodium disilicate CAS: 13870-28-5 EC: 237-623-4	% (w/w) >=10: Eye Dam. 1 - H318 1<= % (w/w) <10: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal See sections 8 and 13.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

SECTION 7: HANDLING AND STORAGE (continued)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
Sodium carbonate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 497-19-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 207-838-8	Inhalation	Non-applicable	Non-applicable	Non-applicable	10 mg/m ³
Disodium carbonate, compound with hydrogen peroxide (2:3)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 15630-89-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 239-707-6	Inhalation	Non-applicable	Non-applicable	Non-applicable	5 mg/m ³
Disodium disilicate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 13870-28-5	Dermal	Non-applicable	Non-applicable	318 mg/kg	Non-applicable
EC: 237-623-4	Inhalation	Non-applicable	Non-applicable	11,21 mg/m ³	Non-applicable

DNEL (General population):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
Sodium carbonate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 497-19-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 207-838-8	Inhalation	Non-applicable	10 mg/m ³	Non-applicable	Non-applicable
Disodium disilicate	Oral	Non-applicable	Non-applicable	1,59 mg/kg	Non-applicable
CAS: 13870-28-5	Dermal	Non-applicable	Non-applicable	159 mg/kg	Non-applicable
EC: 237-623-4	Inhalation	Non-applicable	Non-applicable	2,39 mg/m ³	Non-applicable

PNEC:

Identification				
Disodium carbonate, compound with hydrogen peroxide (2:3)	STP	16,24 mg/L	Fresh water	0,035 mg/L
CAS: 15630-89-4	Soil	Non-applicable	Marine water	0,035 mg/L
EC: 239-707-6	Intermittent	0,035 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Disodium disilicate	STP	28 mg/L	Fresh water	7,5 mg/L
CAS: 13870-28-5	Soil	1,47 mg/kg	Marine water	7,5 mg/L
EC: 237-623-4	Intermittent	Non-applicable	Sediment (Fresh water)	29,4 mg/kg
	Oral	106 g/kg	Sediment (Marine water)	29,4 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Niceday Professional - All in one dishwasher tabs

SECT	TION 8: EXPOSURE	CONTROLS/PERSONA	L PROTECTIO	N (continued)				
	Pictogram	PPE	Labelling	CEN Standard	Remarks			
	Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+A1:2009 and EN ISO 374-1:2016			
	"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance w reliability and has therefore to be checked prior to the application" D Ocular and facial protection							
		•						
	Pictogram	PPE	Labelling	CEN Standard	Remarks			
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.			
	E Body protection				·			
	Pictogram	PPE	Labelling	CEN Standard	Remarks			
		Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.			
		Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007			
	F Additional emerge	ency measures						
	Emergency me	easure S	Standards Emergency mea		ure Standards			
	Emergency sh	ISO 3864-1:20	SI Z358-1 011, ISO 3864-4:201	.1	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s			
	Environmental exp	acura controla						
	of both the product a Volatile organic co	ind its container. For addit mpounds: ive 2010/75/EU, this produ 0,05 20 °C: Non-a number: 10	ional information	see subsection 7.1.D	ecommended to avoid environmental spillage			
SEC1 9.1	Information on base For complete informa Appearance:	AND CHEMICAL PROPE sic physical and chemic tion see the product datas	al properties: sheet.					
	Physical state at 20 °	PC:	Solid					
	Appearance:		Table	ets				
	Colour:		Chara	acteristic				
	Odour: Characteristic							

*Not relevant due to the nature of the product, not providing information property of its hazards.

ECTION 9: PHYSICAL AND CHEMICAL PROPER	TIES (continued)
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	Non-applicable *
Vapour pressure at 20 °C:	Non-applicable *
Vapour pressure at 50 °C:	Non-applicable *
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	Non-applicable *
Relative density at 20 °C:	Non-applicable *
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	10 - 11
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Water-soluble
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	Non-applicable
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	237 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
Explosive:	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
2 Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the product, not providing	information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Niceday Professional - All in one dishwasher tabs

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
0.5	0.5 Incompatible materials:					
	Acids	Water	Oxidising materials	Combustible materials	Others	
	Avoid strong acids	Not applicable	Not applicable	Precaution	Avoid alkalis or strong bases	

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3. IARC: d-limonene (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for

SECTION 11: TOXICOLOGICAL INFORMATION (continued)								
Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.								
Other information:								
Non-applicable	Non-applicable							
Specific toxicology information on the substances:	Specific toxicology information on the substances:							
Identification	A	cute toxicity	Genus					
Disodium carbonate, compound with hydrogen peroxide (2:3)	LD50 oral	1034 mg/kg	Rat					
CAS: 15630-89-4	LD50 dermal	Non-applicable						
EC: 239-707-6	LC50 inhalation	Non-applicable						
Sodium carbonate	LD50 oral	2800 mg/kg	Rat					
CAS: 497-19-8	LD50 dermal	Non-applicable						
EC: 207-838-8	LC50 inhalation	Non-applicable						
Disodium disilicate	LD50 oral	2507 mg/kg	Rat					
CAS: 13870-28-5	LD50 dermal	Non-applicable						
EC: 237-623-4	LC50 inhalation	Non-applicable						
Zinc di(acetate) · 2H2O	LD50 oral	794 mg/kg	Rat					
CAS: 5970-45-6	LD50 dermal	Non-applicable						
EC: 209-170-2	LC50 inhalation	Non-applicable						

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Sodium carbonate	LC50	740 mg/L (96 h)	Gambussia afinis	Fish
CAS: 497-19-8	EC50	265 mg/L (48 h)	Daphnia magna	Crustacean
C: 207-838-8	EC50	Non-applicable		
Disodium carbonate, compound with hydrogen peroxide (2:3)	LC50	70.7 mg/L (96 h)	Pimephales promelas	Fish
CAS: 15630-89-4	EC50	4.9 mg/L (48 h)	Daphnia pulex	Crustacear
C: 239-707-6	EC50	Non-applicable		
Disodium disilicate	LC50	Non-applicable		
CAS: 13870-28-5	EC50	Non-applicable		
C: 237-623-4	EC50	179 mg/L (72 h)	Scenedesmus subspicatus	Algae
Alcohols, C12-14, ethoxylated propoxylated	LC50	10 - 100 mg/L (96 h)		Fish
CAS: 68439-51-0	EC50	10 - 100 mg/L		Crustacear
EC: Non-applicable	EC50	10 - 100 mg/L		Algae
Zinc di(acetate) · 2H2O	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 5970-45-6	EC50	0.1 - 1 mg/L		Crustacear
EC: 209-170-2	EC50	0.1 - 1 mg/L		Algae

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

ECTION 13: D	DISPOSAL CONSIDERATIONS		
3.1 Waste tro	eatment methods:		
Code		Description	Waste class (Regulation (EU) No 1357/2014)
20 01 29	* detergents containing hazardous subs	tances	Dangerous
Type of v	vaste (Regulation (EU) No 1357	/2014):	
	nt — skin irritation and eye damage		
	anagement (disposal and evalua	ation):	
		•	anco with Annov 1 and Annov 1
(Directive product, it	2008/98/EC). As under 15 01 (2014	on the assessment and disposal operations in accord /955/EC) of the code and in case the container has be the actual product. Otherwise, it will be processed as the paragraph 6.2.	een in direct contact with the
Regulatio	ons related to waste manageme	nt:	
In accorda	nce with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state pro	visions related to waste
managem	ent are stated		
Communit	y legislation: Directive 2008/98/EC,	2014/955/EU, Regulation (EU) No 1357/2014	
CTION 14: T	RANSPORT INFORMATION		
Transpo	rt of dangerous goods by land:		
With rega	ard to ADR 2019 and RID 2019:		
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Special regulations:	Non-applicable	
	Tunnel restriction code:	Non-applicable	
	Physico-Chemical properties:	see section 9	
147	Limited quantities:	Non-applicable	
14./	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	
Transpo	rt of dangerous goods by sea:		
With rega	ard to IMDG 38-16:		
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
	Packing group:	Non-applicable	
	Environmental hazards:	No	
14.6	Special precautions for user		
	Special regulations:	Non-applicable	
	EmS Codes:		
	Physico-Chemical properties:	see section 9	
	Limited quantities:	Non-applicable	
14.7	Segregation group: Transport in bulk according	Non-applicable Non-applicable	
	to Annex II of Marpol and the IBC Code:		
Transpo	rt of dangerous goods by air:		

Niceday Professional - All in one dishwasher tabs

SECTION 14: TRANSPORT INFORMATION (continued)

14.1	UN number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Physico-Chemical properties:	see section 9
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) $n^{0}648/2004$ on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled Aquatic Acute 1: H400 - Very toxic to aquatic life Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Eye Dam. 1: H318 - Causes serious eye damage Eye Irrit. 2: H319 - Causes serious eye irritation Ox. Sol. 2: H272 - May intensify fire, oxidiser Skin Irrit. 2: H315 - Causes skin irritation STOT SE 3: H335 - May cause respiratory irritation

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.