# SAFETY DATA SHEET

### Office Depot Whiteboard Foam Cleaner

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Office Depot Whiteboard Foam Cleaner
Product number	3436276, ZP
	of the substance or mixture and uses advised against
Identified uses	Detergent.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of t	
Supplier	OFFICE DEPOT Europe B.V.
Supplier	Columbusweg 33
	5928 LA Venlo
	The Netherlands
	+31 (0) 77 323 8888
	+31 (0) 77 323 8912
	Quality.EU@OfficeDepot.com
1.4. Emergency telephone nul	
Emergency telephone	+44 1865 407333
SECTION 2: Hazards identific	
2.1. Classification of the subst	
Classification (EC 1272/2008)	
Physical hazards	Aerosol 1 - H222, H229
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Pictogram	
Signal word	Danger
Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand.
	P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P211 Do not spray on an open flame or other ignition source.
	P251 Do not pierce or burn, even after use.
	P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with national regulations.
<b>B</b> ( ) ( )	
Detergent labelling	< 5% aliphatic hydrocarbons, < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains D-LIMONENE
	penumes, contains D-LINONENE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information	tion on ingredients		
3.2. Mixtures			
Petroleum gases, liquefied			1-5%
CAS number: 68476-85-7	EC number: 270-704-2		
<b>Classification</b> Flam. Gas 1 - H220 Press. Gas (Liq.) - H280			
Propan-2-ol			1-5%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25-XXXX	
<b>Classification</b> Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336			
2-Butoxyethanol			1-5%
CAS number: 111-76-2	EC number: 203-905-0	REACH registration number: 01- 2119475108-36-XXXX	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319			
Hydrocarbons, C11-C14, n-alkan aromatics	es, isoalkanes, cyclics, <2%		1-5%
CAS number: 64742-47-8	EC number: 926-141-6	REACH registration number: 01- 2119456620-43-XXXX	
<b>Classification</b> Asp. Tox. 1 - H304			

2-Aminoethanol CAS number: 141-43-5 EC number: 205-483-3 REACH re	<1%
	egistration number: 01- 55-28-XXXX
Classification	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
STOT SE 3 - H335	
Benzyl-C12-14-alkyldimethylammonium chlorides	<1%
	gistration number: 01- 50-39-0000
M factor (Acute) = 10 M factor (Chronic) = 1	
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
Sodium hydroxide	<1%
CAS number: 1310-73-2 EC number: 215-185-5	
<b>Classification</b> Skin Corr. 1A - H314 Eye Dam. 1 - H318	
Ethanol	<1%
	egistration number: 01- 10-43-XXXX
Classification Flam. Liq. 2 - H225	
2,6-Di-tert-butyl-p-cresol	<1%
CAS number: 128-37-0 EC number: 204-881-4	
M factor (Acute) = 1 M factor (Chronic) = 1	
M factor (Acute) = 1 M factor (Chronic) = 1 Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General information	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin contact	Rinse with water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptoms	and effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irritation.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	May be slightly irritating to eyes. May cause discomfort.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
5.3. Advice for firefighters	

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep
	unnecessary and unprotected personnel away from the spillage. Wear protective clothing as
	described in Section 8 of this safety data sheet. Follow precautions for safe handling
	described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure
	procedures and training for emergency decontamination and disposal are in place. Do not
	touch or walk into spilled material. Evacuate area. Risk of explosion. Provide adequate
	ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly
	remove any clothing that becomes contaminated.

#### 6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Do not allow material to enter confined spaces, due to the risk of explosion. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes. Avoid inhalation of vapours and spray/mists.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Keep away from heat, sparks and open flame. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50°C/122°F. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### Occupational exposure limits

### Petroleum gases, liquefied

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m<sup>3</sup>

#### Propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

#### 2-Butoxyethanol

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m<sup>3</sup> Sk

### 2-Aminoethanol

Long-term exposure limit (8-hour TWA): WEL 1 ppm 2.5 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 3 ppm 7.6 mg/m<sup>3</sup> Sk

### Sodium hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

### Ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

### 2,6-Di-tert-butyl-p-cresol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

### 8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	No specific requirements are anticipated under normal conditions of use. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	No specific requirements are anticipated under normal conditions of use. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use.

### SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	No data available.
Odour	Lemon.
Odour threshold	Not available.
pН	Not available.
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	Not available.

Evaporation rate	Not available.
Flammability (solid, gas)	No specific test data are available. Extremely flammable aerosol.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	Soluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised container: may burst if heated
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Acute toxicity - oral	
Notes (oral LD <sub>50</sub> )	Based on available data the classification criteria are not met

Based on available data the classification criteria are not met.

ATE oral (mg/kg)	158,859.06
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	100,083.03
Acute toxicity - inhalation Notes (inhalation $LC_{50}$ )	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	1,000.83
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irritation.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	May be slightly irritating to eyes. May cause discomfort.
Route of exposure	Inhalation Skin and/or eye contact

### Target organs

No specific target organs known.

### Toxicological information on ingredients.

Petroleum gases, liquefied

Toxicological effects	Not regarded as a health hazard under current legislation.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.	
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	NOAEL 10000 ppm, Inhalation, Mouse REACH dossier information. Based on available data the classification criteria are not met.	
Reproductive toxicity		
Reproductive toxicity - fertility	Fertility - NOAEC 9000 ppm, Inhalation, Rat F1 REACH dossier information. Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Developmental toxicity: - NOAEC: 10426 ppm, Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.	
Specific target organ toxici	ty - repeated exposure	
STOT - repeated exposure	<ul> <li>NOAEC 10000 ppmV/4hr/day, Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.</li> </ul>	
	Propan-2-ol	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	LD₅₀ 5840 mg/kg, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Primary dermal irritation index: 0 REACH dossier information. Based on available data the classification criteria are not met.	
Serious eye damage/irritation		
Serious eye damage/irritation	Dose: 0.1 mL, 1 second, Rabbit Causes serious eye irritation.	
Skin sensitisation		
Skin sensitisation	Buehler test - Guinea pig: Not sensitising. REACH dossier information. Based on	
	available data the classification criteria are not met.	
Germ cell mutagenicity		
Germ cell mutagenicity Genotoxicity - in vitro		
	available data the classification criteria are not met. Gene mutation: Negative. REACH dossier information. Based on available data the	

Carcinogenicity	NOAEL 5000 ppm, Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.	
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.	
Specific target organ toxici	ty - single exposure	
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness.	
Target organs	Central nervous system	
Specific target organ toxici	ty - repeated exposure	
STOT - repeated exposure	NOAEC 5000 ppm, Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.	
	2-Butoxyethanol	
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	1,746.0	
Species	Rat	
Notes (oral LD₅₀)	REACH dossier information. Harmful if swallowed.	
ATE oral (mg/kg)	1,746.0	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	cATpE: Converted Acute Toxicity Point Estimate. Harmful in contact with skin.	
ATE dermal (mg/kg)	1,100.0	
Acute toxicity - inhalation		
Notes (inhalation LC50)	cATpE: Converted Acute Toxicity Point Estimate. Harmful if inhaled.	
ATE inhalation (vapours mg/l)	11.0	
Skin corrosion/irritation		
Animal data	Dose: 0.5 mL, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: No oedema (0). REACH dossier information. Irritating.	
Serious eye damage/irritation		
Serious eye damage/irritation	Dose: 0.1 mL, 24 hours, Rabbit Causes serious eye irritation.	
Skin sensitisation		
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.	
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.	
Carcinogenicity		

Carcinogenicity	NOAEC 125 ppm, Inhalation, Mouse REACH dossier information. Based on available data the classification criteria are not met.
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Two-generation study - NOAEL 720 mg/kg/day, Oral, Mouse P REACH dossier information. Based on available data the classification criteria are not met.
Reproductive toxicity - development	Maternal toxicity: - NOAEL: 50 ppm, Inhalation, Rabbit REACH dossier information. Based on available data the classification criteria are not met.
Specific target organ toxici	ty - repeated exposure
STOT - repeated exposure	NOAEL <69 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
Hydro	carbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
Acute toxicity - oral	
Notes (oral LD₅o)	$LD_{50}$ 15000 mg/kg, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD₅₀ 3160 mg/kg, Dermal, Rabbit REACH dossier information. Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC <sub>50</sub> )	LC₅₀ 4951 mg/l, Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Dose: 0.5 mL, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Dose: 0.1 mL, 1 second, Rabbit REACH dossier information. Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	NOAEC 1100 mg/m <sup>3</sup> , Inhalation, Mouse REACH dossier information. Based on available data the classification criteria are not met.
Reproductive toxicity	

	Reproductive toxicity - fertility	Fertility, One-generation study - NOAEL 750 mg/kg/day, Oral, Rat F1 REACH dossier information. Based on available data the classification criteria are not met.	
	Reproductive toxicity - development	Maternal toxicity: - NOAEL: >5220 mg/m <sup>3</sup> , Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.	
	Specific target organ toxicity - repeated exposure		
	STOT - repeated exposure	NOAEC >10400 mg/m³, Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.	
	Aspiration hazard		
	Aspiration hazard	2.4 cSt @ 20°C Aspiration hazard if swallowed.	
SECTION 1	2: Ecological Information		
Ecotoxicity	-	arded as dangerous for the environment. However, large or frequent spills may have ous effects on the environment.	
12.1. Toxicit	<u>ty</u>		
Toxicity	Based o	on available data the classification criteria are not met.	
Ecological ir	nformation on ingredients.		
		Petroleum gases, liquefied	
	Toxicity	Aquatic toxicity is unlikely to occur. Based on available data the classification criteria are not met.	
	Acute aquatic toxicity		
	Acute toxicity - fish	LC₅₀, 96 hours: 147.54 mg/l, Freshwater fish Estimated value.	
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 16.33 mg/l, Daphnia magna Estimated value.	
	Acute toxicity - aquatic plants	EC₅₀, 96 hours: 11.89 mg/l, Freshwater algae Estimated value.	
		Propan-2-ol	
	Toxicity	Aquatic toxicity is unlikely to occur. Based on available data the classification criteria are not met.	
	Acute aquatic toxicity		
	Acute toxicity - fish	LC₅₀, 96 hours: 10000 mg/l, Pimephales promelas (Fat-head Minnow)	
	Acute toxicity - aquatic invertebrates	LC₅₀, 24 hours: >10000 mg/l, Daphnia magna	
	Acute toxicity - aquatic plants	EC₅₀, 7 days: 1800 mg/l, Scenedesmus quadricauda	
		2-Butoxyethanol	
	Toxicity	Aquatic toxicity is unlikely to occur. Based on available data the classification criteria are not met.	
	Acute aquatic toxicity		

# Office Depot Whiteboard Foam Cleaner

	Acute toxicity - fish	LC₅₀, 96 hours: 1474 mg/l, Oncorhynchus mykiss (Rainbow trout)	
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 1550 mg/l, Daphnia magna	
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: 911 mg/l, Pseudokirchneriella subcapitata	
	Chronic aquatic toxicity		
	Chronic toxicity - fish early life stage	NOEL, 21 days: >100 mg/l, Brachydanio rerio (Zebra Fish)	
	Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 100 mg/l, Daphnia magna	
	Hydroc	arbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	
Toxicity		Aquatic toxicity is unlikely to occur. Based on available data the classification criteria are not met.	
	Acute aquatic toxicity		
	Acute toxicity - fish	LL₅₀, 96 hours: >1000 mg/l, Oncorhynchus mykiss (Rainbow trout)	
	Acute toxicity - aquatic invertebrates	EL₅₀, 48 hours: >10000 mg/l, Daphnia magna	
	Acute toxicity - aquatic plants	EL₅₀, 72 hours: >1000 mg/l, Pseudokirchneriella subcapitata	
	Chronic aquatic toxicity		
	Chronic toxicity - fish early life stage	NOELR, 28 days: 0.173 mg/l, Oncorhynchus mykiss (Rainbow trout), Estimated value.	
	Chronic toxicity - aquatic invertebrates	NOELR, 21 days: 1.22 mg/l, Daphnia magna, Estimated value.	
12.2. Persis	12.2. Persistence and degradability		
Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.			
Ecological ir	nformation on ingredients.		
		Petroleum gases, liquefied	
	Persistence and degradability	The substance is readily biodegradable.	
	Biodegradation	Water - Degradation 100%: 385.5 hours	
		Propan-2-ol	
	Persistence and degradability	The substance is readily biodegradable.	
	Biodegradation	Water - Degradation 53%: 5 days	
	Biological oxygen demand	1.19-1.72 g O₂/g substance	

Chemical oxygen demand 2.23 g O<sub>2</sub>/g substance

### 2-Butoxyethanol

			2-Butoxyetnanol
	Persistence and degradability		The substance is readily biodegradable.
	Biodegradation		Water - Degradation 90.4%: 28 days
		Hydrod	carbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
	Persistence and degradability		Readily biodegradable but failing the 10-day window.
	Biodegradation		Water - Degradation ~5%: 3 days Water - Degradation 69%: 28 days
12.3. Bioac	cumulative potentia	al	
Bioaccumu	lative potential	 No data	available on bioaccumulation.
Partition co	efficient	Not avai	lable.
Ecological i	information on ingre	edients.	
			Petroleum gases, liquefied
	Bioaccumulative	potential	No data available on bioaccumulation.
			Propan-2-ol
	Bioaccumulative	potential	Bioaccumulation is unlikely.
			2-Butoxyethanol
	Bioaccumulative	potential	Bioaccumulation is unlikely.
	Partition coefficie	ent	log Kow: 0.81
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics			
	Partition coefficie	ent	Scientifically unjustified.
12.4. Mobil	ity in soil		
Mobility	Mobility         The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.		
Ecological i	information on ingre	edients.	
			Petroleum gases, liquefied
	Mobility		The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.
			Propan-2-ol
	Mobility		The product is soluble in water.
			2-Butoxyethanol
	Mobility		The product is miscible with water and may spread in water systems.

Surfac	e tension	29.53 mN/m @ 20°C
Cunac		drocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
	<u></u>	
Mobilit	у	The product has poor water-solubility.
12.5. Results of PB	T and vPvB asse	ssment
Results of PBT and assessment	vPvB This	product does not contain any substances classified as PBT or vPvB.
Ecological informati	on on ingredients	<u>.</u>
		Petroleum gases, liquefied
Result		<b>B</b> This substance is not classified as PBT or vPvB according to current EU criteria.
		Propan-2-ol
Result		<b>B</b> This substance is not classified as PBT or vPvB according to current EU criteria.
		2-Butoxyethanol
Result		<b>B</b> This substance is not classified as PBT or vPvB according to current EU criteria.
	Hy	drocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
Result	s of PBT and vPv sment	<b>B</b> This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse	effects	
Other adverse effect	ts None	known.
SECTION 13: Dispo	sal consideration	S
13.1. Waste treatmo	ent methods	
General information	prod way. comp any l hand conta	generation of waste should be minimised or avoided wherever possible. Reuse or recycle acts wherever possible. This material and its container must be disposed of in a safe Disposal of this product, process solutions, residues and by-products should at all times by with the requirements of environmental protection and waste disposal legislation and ocal authority requirements. When handling waste, the safety precautions applying to ling of the product should be considered. Care should be taken when handling emptied ainers that have not been thoroughly cleaned or rinsed out. Empty containers or liners retain some product residues and hence be potentially hazardous.
Disposal methods	contr clear Was be co	ose of surplus products and those that cannot be recycled via a licensed waste disposal actor. Waste, residues, empty containers, discarded work clothes and contaminated ing materials should be collected in designated containers, labelled with their contents. e packaging should be collected for reuse or recycling. Incineration or landfill should only onsidered when recycling is not feasible.
SECTION 14: Trans	port information	

#### General

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

#### 14.1. UN number

UN No. (ADR/RID)	1950	
UN No. (IMDG)	1950	
UN No. (ICAO)	1950	
UN No. (ADN)	1950	
14.2. UN proper shipping name	<u>)</u>	
Proper shipping name (ADR/RID)	AEROSOLS	
Proper shipping name (IMDG)	AEROSOLS	
Proper shipping name (ICAO)	AEROSOLS	
Proper shipping name (ADN)	AEROSOLS	
14.3. Transport hazard class(es)		
ADR/RID class	2.1	
ADR/RID classification code	5F	
ADR/RID label	2.1	
IMDG class	2.1	
ICAO class/division	2.1	
ADN class	2.1	

### Transport labels



### 14.4. Packing group

None.

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits. The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
EU legislation	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Commission Regulation (EU) No 453/2010 of 20 May 2010.</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> <li>Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).</li> <li>Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).</li> </ul>

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### Inventories

US - TSCA The following ingredients are listed or exempt:

### US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

SECTION 16: Other information		
Abbreviations and acronyms	ADR: European Agreement concerning the International Carriage of Dangerous Goods by	
used in the safety data sheet	Road.	
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by	
	Inland Waterways.	
	IATA: International Air Transport Association.	
	ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.	
	IMDG: International Maritime Dangerous Goods.	
	RID: European Agreement concerning the International Carriage of Dangerous Goods by	
	Rail.	
	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation	
	(EC) No 1907/2006.	
	ATE: Acute Toxicity Estimate.	
	Kow: Octanol-water partition coefficient.	
	LC₅₀: Lethal Concentration to 50 % of a test population.	
	LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).	
	PBT: Persistent, Bioaccumulative and Toxic substance.	
	vPvB: Very Persistent and Very Bioaccumulative.	
	IARC: International Agency for Research on Cancer.	
	BCF: Bioconcentration Factor.	
	EC₅₀: 50% of maximal Effective Concentration.	

Classification procedures according to Regulation (EC) 1272/2008	Aerosol 1 - H222, H229: : Expert judgement.
Training advice	Read and follow manufacturer's recommendations.
Issued by	Toni Ashford
Revision date	02/06/2016
Revision	1
SDS number	2615
Hazard statements in full	<ul> <li>H220 Extremely flammable gas.</li> <li>H222 Extremely flammable aerosol.</li> <li>H225 Highly flammable liquid and vapour.</li> <li>H229 Pressurised container: may burst if heated.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H302 Harmful if swallowed.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H312 Harmful in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.