

# **SAFETY DATA SHEET**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

HP Color LaserJet CE740A Black Print Cartridge

Registration number

of the mixture

registration number

Synonyms None.

Issue date 27-Jun-2015

Version number 04

Revision date 28-Sep-2019 Supersedes date 17-Oct-2018

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a black toner preparation that is used in HP Color LaserJet CP5225 series printers.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Inc. UK Limited
Cain Road, Amen Corner
Bracknell. Berkshire RG12 1HN

United Kingdom

**Telephone** 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

**Email:** hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Carbon black, Styrene acrylate copolymer, Titanium dioxide, Wax

Hazard pictogramsNone.Signal wordNone.Hazard statementsNone.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None.

Material name: CE740A SDS UK

11999 Version #: 04 Revision date: 28-Sep-2019 Issue date: 27-Jun-2015

#### 2.3. Other hazards

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification:		-			
Carbon black	<10	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification: -					
Wax	<10	Trade Secret	-	-	
Classification:		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					
Titanium dioxide	<1	13463-67-7 236-675-5	01-2119489379-17-XXXX	-	
Classification: -					

#### **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

# **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Material name: CE740A 11999 Version #: 04 Revision date: 28-Sep-2019 Issue date: 27-Jun-2015

SDS UK

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders

Not available.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s)

Not available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

UK.	EH40	Workplace	<b>Exposure</b>	Limits	(WELs)
-----	------	-----------	-----------------	--------	--------

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3.5 mg/m3	
Titanium dioxide (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
,		10 mg/m3	Inhalable

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Pre

Not available.

### Derived no effect levels (DNELs)

Components	Type	Route	Value	Form
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
dicted no effect concentrations (PNEC	Cs)			
Components	Type	Route	Value	Form
Carbon black (CAS 1333-86-4)	Not applicable	Freshwater	5 mg/l	

**Exposure guidelines** , 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

Marine water 5 mg/l

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

# 8.2. Exposure controls

Material name: CE740A SDS UK Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

**Eye/face protection** Not available.

Skin protection

Hand protection
 Other
 Respiratory protection
 Thermal hazards
 Hygiene measures
 Environmental exposure
 Not available.
 Not available.
 Not available.

controls

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance Fine powder
Physical state Solid.
Form solid
Color Black.

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

ower Not flammable

Flammability limit - upper

(%)

Not available.

Vapor pressure Not applicable
Vapor density Not applicable

Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature

Decomposition temperature

Viscosity

Not applicable

Not applicable

Not applicable

Not available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile Negligible

**Softening point** 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

VOC Not applicable

### **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

**10.4. Conditions to avoid** Imaging Drum: Exposure to light

Material name: CE740A SDS UK

10.5. Incompatible materials

Strong oxidizers

10.6. Hazardous

Carbon monoxide and carbon dioxide.

decomposition products

# **SECTION 11: Toxicological information**

Not available. **General information** 

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation. Ingestion Ingestion is not a likely route of exposure.

Not available. **Symptoms** 

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity

Components **Species Test Results** 

Carbon black (CAS 1333-86-4)

**Acute** Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Respiratory sensitization Skin sensitization Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard** 

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**SECTION 12: Ecological information** 

LC50: > 100 mg/l, Fish, 96.00 Hours 12.1. Toxicity

**Product Test Results Species** 

CE740A (CAS Mixture)

**Aquatic** 

Fish LC50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and Not available.

degradability

12.3. Bioaccumulative potential Not available.

Material name: CE740A SDS UK

11999 Version #: 04 Revision date: 28-Sep-2019 Issue date: 27-Jun-2015

Partition coefficient

n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** 

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Not available. Not available. Contaminated packaging Not available. EU waste code

Disposal methods/information

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

# **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed

### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Material name: CE740A SDS UK

11999 Version #: 04 Revision date: 28-Sep-2019 Issue date: 27-Jun-2015

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Not available

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

#### **SECTION 16: Other information**

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

**Revision information** 

SECTION 1: Identification of the substance/mixture and of the company/undertaking: Important information

Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CE740A SDS UK

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CE740A SDS UK