

# **SAFETY DATA SHEET**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

HP Color LaserJet CF358A Imaging Drum Cartridge

of the mixture

Registration number -

Synonyms None.

Issue date 08-Nov-2013

Version number 09

Revision date 30-Jun-2020 Supersedes date 26-Jun-2020

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a black toner preparation that is used in HP Color LaserJet Enterprise flow MFP

M880 series printers.

Uses advised against None known.

## 1.3. Details of the supplier of the safety data sheet

HP Inc. UK Limited
Cain Road, Amen Corner
Bracknell, Berkshire RG12 1HN

United Kingdom

**Telephone** 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

## 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** Amorphous silica, Black Pigment, Styrene acrylate copolymer, Titanium dioxide, Wax

Hazard pictograms None.

Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None.

Material name: CF358A SDS UK

## 2.3. Other hazards

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

General	inform	ation

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -		-			
Black Pigment	<10	Proprietary	01-2119384822-32-XXXX	-	
Classification: -		-			
Wax	<10	Trade Secret	-	-	
Classification: -		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					
Titanium dioxide	<1	13463-67-7 236-675-5	01-2119489379-17-XXXX	-	
Classification: -					

## **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

## **SECTION 5: Firefighting measures**

Not available. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

Material name: CF358A SDS UK

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

Not available. For emergency responders

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

Not available. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

# **UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value	Form
Black Pigment	STEL	7 mg/m3	
	TWA	3.5 mg/m3	
Titanium dioxide (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
		10 mg/m3	Inhalable

No biological exposure limits noted for the ingredient(s).

**Biological limit values** 

Not available.

Recommended monitoring

procedures

Derived no effect levels (DNELs)

Components	Type	Route	Value	Form
Black Pigment	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
edicted no effect concentrations (PNECs)				
Components	Туре	Route	Value	Form
Black Pigment	Not applicable	Freshwater	5 mg/l	
		Marine water	5 mg/l	

## **Exposure guidelines**

, 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

## 8.2. Exposure controls

# Appropriate engineering

Material name: CF358A

Use in a well ventilated area.

## Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection Not available.

Skin protection

Not available. - Hand protection Not available. - Other Not available. Respiratory protection Not available. Thermal hazards Not available. Hygiene measures Not available. **Environmental exposure** controls

**SECTION 9: Physical and chemical properties** 

# 9.1. Information on basic physical and chemical properties

Black.

**Appearance** Fine powder Solid. **Physical state Form** solid

Slight plastic odor Odor Not available. **Odor threshold** Not applicable Melting point/freezing point Not available. Initial boiling point and boiling Not applicable

range

Color

Not applicable Flash point Not applicable **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not flammable

Flammability limit - upper

(%)

Not available.

Vapor pressure Not applicable Vapor density Not applicable

Solubility(ies)

Negligible in water. Partially soluble in toluene and xylene. Solubility (water)

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not applicable **Decomposition temperature** > 392 °F (> 200 °C)

Not applicable **Viscosity** Not available. **Explosive properties** 

**Oxidizing properties** No information available.

9.2. Other information

Percent volatile 0 % estimated

176 - 266 °F (80 - 130 °C) Softening point

1 - 1.2 Specific gravity

# **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

Stable under normal storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

Material name: CF358A SDS UK **SECTION 11: Toxicological information** 

**General information** Not available.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Contact with skin may result in mild irritation. Skin contact Eve contact Contact with eyes may result in mild irritation. Ingestion is not a likely route of exposure. Ingestion

Not available. **Symptoms** 

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** 

Components **Species Test Results** 

**Black Pigment** 

**Acute** 

Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Complete toxicity data are not available for this specific formulation Other information

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**SECTION 12: Ecological information** 

12.1. Toxicity LC50: > 100 mg/l, Fish, 96.00 Hours

**Product Species Test Results** 

CF358A

Aquatic

Fish LC50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and Not available.

degradability

12.3. Bioaccumulative potential Not available Partition coefficient Not available.

n-octanol/water (log Kow)

12.6. Other adverse effects

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil Not available

12.5. Results of PBT and vPvB Not a PBT or vPvB substance or mixture.

Not available.

assessment

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods Material name: CF358A

Not available. Residual waste Not available. Contaminated packaging EU waste code Not available.

Disposal methods/information Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

## **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

## Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

## Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Other information

Classification according to Regulation (EC) No 1272/2008 as amended.

**National regulations** Not available

15.2. Chemical safety

See attached SUMI or GEIS document, if applicable.

assessment

Material name: CF358A SDS UK

## **SECTION 16: Other information**

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under

None.

Sections 2 to 15
Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CF358A SDS UK