



Frequent contact | continous wear



CHEMICAL PROTECTION **TYPE B**

EN ISO 374-1

EN388





TYPE B KPT

X1XXXX

CAT.CATEGORY 3



Maximum comfort for long-term work in aggressive environments

SPECIFIC ADVANTAGES

Comfort

• Freedom of movement, due to the anatomical shape and excellent comfort from the seamless textile support

Durability

Good tear-resistance

Skin protection

Good resistance to many diluted acids and bases

🙆 Guaranteed quality

• Silicone free to prevent traces, defects on metal sheet and glass prior to painting

INDUSTRIES

- Local Authorities (Cleaning)
- Aeronautics industry
- Construction Industry (Masons / Plasterers)

APPLICATIONS

- Handling household detergents
- Work with composite materials (resins)
- Preparing and pouring mortar and cement

Edit 12/09/2023

MAPA SAS capital de 35.000.010 € 420, rue d'Estienne d'Orves 92705 Colombes Cedex France RCS Nanterre 314 307 720






JERSETTE 300

Frequent contact | continous wear

LEGENDS



PRODUCT DETAILS

Interior finish	Textile support
Exterior finish	Smooth
Material	Natural latex
Cuff characteristic	Feston Cuff
Colour.s	Blue
Thickness (mm)	1.15
European sizes	5 6 7 8 9 10

LOGISTIC DETAILS

Packaging	1 pair/bag 5 pairs/box 50 pairs/carton	
-----------	--	--

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) $n^{0}1272/2008$ of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/05/22/0905
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -France

Edit 12/09/2023

TYPE B

MAPA SAS capital de 35.000.010 € 420, rue d'Estienne d'Orves 92705 Colombes Cedex France RCS Nanterre 314 307 720



