



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by  
Commission Regulation (EU) 2020/878

# SAFETY DATA SHEET

## Persil Colour Protect Professional Concentrate

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** : Persil Colour Protect Professional Concentrate  
**Product code** : 200000290592;64942328\_S, 65217107\_S, 64931927  
**Product description** : Fabric washing Liquid  
**Product type** : liquid  
**UFI code** : UGKS-S0GW-T00E-CRV1  
**Nanomaterials** : None

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Fabric washing Liquid	
Consumer uses	
Professional uses	
PROC 8a Transfer of product to a container (bottle/bucket/machine)	
PROC 4 Professional uses; Semi-closed system	
Uses advised against	Reason
Not applicable.	-

#### 1.3 Details of the supplier of the safety data sheet

Unilever Europe BV (UPro)  
 Rodezand 90  
 3011 AN Rotterdam  
 NL  
 Tel: 01 8081808 (9am - 5pm Mon-Fri)  
 -

**e-mail address of person responsible for this SDS** : UPROSDS.Requests@unilever.com

#### National contact

Not available.

#### 1.4 Emergency telephone number

### National advisory body/Poison Center

**Telephone number** : National Poisons Information Centre of Ireland  
Members of Public: +353 (01) 809 2166. (8.00 a.m. to 10.00 p.m.  
7 days a week)  
Healthcare Professionals: +353 (01) 809 2566 (24 hour service)

### Supplier

**Telephone number** : Eire 1800545555  
**Hours of operation** : -  
**Information limitations** : Not available.

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315  
Eye Irrit. 2, H319  
Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

**Ingredients of unknown toxicity** : Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 0 %  
Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 0 %  
Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 0 %

**Ingredients of unknown ecotoxicity** : Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 0 %

See Section 16 for the full text of the H statements declared above.  
See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** :



**Signal word** : Warning  
**Hazard statements** : H319 Causes serious eye irritation.  
H315 Causes skin irritation.  
H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

**General Prevention** : P102 Keep out of reach of children.  
: P273 Avoid release to the environment.

- Response** : P305 IF IN EYES:  
P351 Rinse cautiously with water for several minutes.  
P338 Remove contact lenses, if present and easy to do. Continue rinsing.  
P302 IF ON SKIN:  
P352 Wash with plenty of water.  
P337 If eye irritation persists:  
P332 If skin irritation occurs:  
P313 Get medical advice/attention.
- Storage** : - Not applicable.  
**Disposal** : P501 Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Supplemental label elements** : Contains TETRAHYDRALINALOOL, HEXYL SALICYLATE, BENZYL SALICYLATE, HEXYL CINNAMAL, Benzisothiazolinone, . May produce an allergic reaction.
- Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.
- Special packaging requirements**  
**Containers to be fitted with child-resistant fastenings** : Not applicable.  
**Tactile warning of danger** : Not applicable.

### 2.3 Other hazards

- Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII** : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.Regulation (EC) No. 1907/2006 [REACH]Regulation (EC) No. 1272/2008 [CLP]Regulation (EC) No. 1272/2008 [CLP]Regulation (EC) No. 1272/2008 [CLP]Regulation (EC) No. 1272/2008 [CLP]Regulation (EC) No. 1272/2008 [CLP]Regulation (EC) No. 1272/2008 [CLP]Regulation (EC) No. 1272/2008 [CLP]Regulation (EC) No. 1272/2008 [CLP]The product does not meet the criteria to be considered as a PBT or vPvB.Regulation (EC) No. 1907/2006 [REACH]Regulation (EC) No. 1907/2006 [REACH]Regulation (EC) No. 1907/2006 [REACH]Regulation (EC) No. 1907/2006 [REACH]Regulation (EC) No. 1907/2006 [REACH]Regulation (EC) No. 1907/2006 [REACH]Regulation (EC) No. 1907/2006 [REACH]
- Other hazards which do not result in classification** : None known.

## SECTION 3: Composition/information on ingredients

- 3.1 Substances** : Not applicable  
**3.2 Mixtures** : Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Type

Sodium Dodecylbenzenesulfonate	RRN : 01-2119489428-22 EC : 246-680-4 CAS : 68411-30-3	> 0 - <= 10	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	ATE [Oral] = 1.080 mg/kg	[1]
Laureth-7	EC : 931-014-3 CAS : 68439-50-9	> 0 - <= 10	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412	ATE [Oral] = 1.700 mg/kg	[1]
Sodium Laureth Sulfate	RRN : 01-2119488639-16 EC : 500-234-8 CAS : 68891-38-3	> 0 - <= 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	Eye Dam. 1, H318: >= 10 % Eye Irrit. 2, H319: 5 - < 10 %	[1]
TETRAHYDRALINALOOL	RRN : 01-2119454788-21 EC : 201-133-9 CAS : 78-69-3	> 0 - <= 0,3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317	-	[1]
HEXYL SALICYLATE	RRN : 01-2119638275-36 EC : 228-408-6 CAS : 6259-76-3 Index: 607-772-00-3	> 0 - <= 0,3	Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1]
BENZYL SALICYLATE	RRN : 01-2119969442-31 EC : 204-262-9 CAS : 118-58-1 Index: 607-754-00-5	> 0 - <= 0,3	Skin Sens. 1B, H317	-	[1]
HEXYL CINNAMAL	EC : 202-983-3 CAS : 101-86-0	> 0 - <= 0,3	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	M [Acute] = 1	[1]
Benzisothiazolinone	RRN : 01-2120761540-60 EC : 220-120-9 CAS : 2634-33-5 Index: 613-088-00-6	> 0 - < 0,036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0,21 mg/l Skin Sens. 1A, H317: >= 0,036 % M [Acute] = 1 M [Chronic] = 1	[1]

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes.
- Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation.
- Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

*Version:* 2.0

*Date of issue/Date of revision:* 05.08.2025

*Date of previous issue:* 17.04.2025

- Eye contact** : Adverse symptoms may include the following: redness, irritation
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following: redness, irritation
- Ingestion** : No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous combustion products** : Not relevant for these kind of mixtures

### 5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

### 6.3 Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

- 6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Seveso Directive - Reporting thresholds

Not applicable.

### 7.3 Specific end use(s)

**Recommendations** : Not available.  
**Industrial sector specific solutions** : Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

#### Biological exposure indices

No exposure indices known.

**Recommended monitoring procedures** : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Product/ingredient name	Type	Exposure	Value	Population	Effects
Sodium Dodecylbenzenesulfonate	DNEL	Long term Inhalation	14,8 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	105 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	2,61 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Dermal	37,5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	1,5 mg/kg bw/day	General population	Systemic
Laureth-7	DNEL	Long term Inhalation	19,6 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	187 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	3,48 mg/m <sup>3</sup>	General population	Systemic

	DNEL	Long term Dermal	66,7 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	1,33 mg/kg bw/day	General population	Systemic
Sodium Laureth Sulfate	DNEL	Long term Inhalation	175 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Inhalation	52 mg/m <sup>3</sup>	General population [Human via the environment]	Systemic
	DNEL	Long term Dermal	2750 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	132 µg/cm <sup>2</sup>	Workers	Local
	DNEL	Long term Dermal	1650 mg/kg bw/day	General population [Human via the environment]	Systemic
	DNEL	Long term Dermal	79 µg/cm <sup>2</sup>	General population [Human via the environment]	Local
	DNEL	Long term Oral	15 mg/kg bw/day	General population [Human via the environment]	Systemic
Benzisothiazolinone	DNEL	Long term Inhalation	6,81 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	966 µg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1,2 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Dermal	345 µg/kg bw/day	General population	Systemic

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Product/ingredient name	Type	Compartment Detail	Value	Method Detail
Sodium Dodecylbenzenesulfonate	PNEC	Fresh water	22 µg/l	-
	PNEC	Freshwater - intermittent	19,1 µg/l	-
	PNEC	Marine water	2,24 µg/l	-
	PNEC	Marine water - intermittent	1,9 µg/l	-
	PNEC	Sewage Treatment Plant	2,96 mg/l	-
	PNEC	Fresh water sediment	22,48 µg/kg	-
	PNEC	Marine water sediment	2,248 µg/kg	-

	PNEC	Soil	4,483 mg/kg dwt	-
Laureth-7	PNEC	Fresh water	3,4 µg/l	-
	PNEC	Freshwater - intermittent	445 ng/l	-
	PNEC	Marine water	340 ng/l	-
	PNEC	Marine water - intermittent	44,5 ng/l	-
	PNEC	Sewage Treatment Plant	200 µg/l	-
	PNEC	Fresh water sediment	89,5 µg/kg dwt	-
	PNEC	Marine water sediment	8,95 µg/kg dwt	-
	PNEC	Soil	16 µg/kg dwt	-
Sodium Laureth Sulfate	PNEC	Fresh water	240 µg/l	-
	PNEC	Freshwater - intermittent	71 µg/l	-
	PNEC	Marine water	24 µg/l	-
	PNEC	Sewage Treatment Plant	10 g/l	-
	PNEC	Fresh water sediment	916,8 µg/kg	-
	PNEC	Marine water sediment	91,7 µg/kg	-
	PNEC	Soil	7,5 mg/kg	-
Benzisothiazolinone	PNEC	Fresh water	4,03 µg/l	-
	PNEC	Freshwater - intermittent	1,1 µg/l	-
	PNEC	Marine water	403 ng/l	-
	PNEC	Marine water - intermittent	110 ng/l	-
	PNEC	Sewage Treatment Plant	1,03 mg/l	-
	PNEC	Fresh water sediment	49,9 µg/kg	-
	PNEC	Marine water sediment	4,99 µg/kg	-
	PNEC	Soil	3 mg/kg	-

## 8.2 Exposure controls

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the

assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

### **Skin protection**

- |  |   |  |
|--|---|--|
| <b>Hand protection</b>                 | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.<br>1 - 4 hours (breakthrough time): 120 µm nitrile rubber |
| <b>Body protection</b>                 | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.  |
| <b>Other skin protection</b>           | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.  |
| <b>Respiratory protection</b>          | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.   |
| <b>Environmental exposure controls</b> | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.   |

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### **9.1 Information on basic physical and chemical properties**

#### **Appearance**

- |  |   |  |
|--|---|--|
| <b>Physical state</b>                          | : | liquid [liquid]  |
| <b>Color</b>                                   | : | Purple.  |
| <b>Odor</b>                                    | : | Characteristic.  |
| <b>Odor threshold</b>                          | : | Not available.   |
| <b>Melting point/freezing point</b>            | : | Under normal conditions, melting point/freezing point will not be observed |
| <b>Initial boiling point and boiling range</b> | : | > 100 °C (> 212 °F)  |
| <b>Flammability</b>                            | : | Non-flammable.   |

<b>Lower and upper explosion limit</b>	:	<b>Lower:</b> Based on available data, the classification criteria are not met. <b>Upper:</b> Based on available data, the classification criteria are not met.
<b>Flash point</b>	:	Non-flammable.
<b>Auto-ignition temperature</b>	:	Not flammable
<b>Decomposition temperature</b>	:	Not available.
<b>pH</b>	:	7,0 [Conc. (% w/w): 1.000 g/l ]
<b>Viscosity</b>	:	<b>Dynamic :</b> 500 mPa.s <b>Kinematic :</b> Not relevant for these kind of mixtures
<b>Solubility in water</b>	:	Soluble
<b>Partition coefficient: n-octanol/water</b>	:	Not applicable for mixtures
<b>Vapor pressure</b>	:	Not relevant for these kind of mixtures
<b>Relative density</b>	:	1,035
<b>Density</b>	:	1,035 g/cm <sup>3</sup>
<b>Bulk density</b>	:	Not available.
<b>Vapor density</b>	:	Not relevant for these kind of mixtures

#### **Particle characteristics**

**Median particle size** : Not applicable.

### **9.2 Other information**

#### **9.2.1 Information with regard to physical hazard classes**

<b>Heat of combustion</b>	:	Not relevant for these kind of mixtures
<b>Explosive properties</b>	:	Mixture does not have explosive properties.
<b>Oxidizing properties</b>	:	Based on available data, the classification criteria are not met.

#### **Aerosol product**

**Type of aerosol** : Not applicable

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : None known.
- 10.5 Incompatible materials** : None known.
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Sodium Dodecylbenzenesulfonate				
	LD50 Oral	Rat	1.080 mg/kg OECD 401 Acute Oral Toxicity	-
Laureth-7				
	LD50 Oral	Rat	1.700 mg/kg	-
Benzisothiazolinone				
	LD50 Oral	Rat	450 mg/kg OECD 401 Acute Oral Toxicity	-
	LC50 Inhalation Dusts and mists	Rat	0,21 mg/l	4 h

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
Persil Colour Protect Professional Concentrate	> 2000 mg/kg	> 2000 mg/kg	> 20000 ppm	> 20 mg/l	> 5 mg/l

#### Irritation/Corrosion

##### **Conclusion/Summary**

- Skin** : Causes skin irritation.
- Eyes** : Causes serious eye irritation. On basis of test data [OECD 438+160]
- Respiratory** : Non-irritating to the respiratory system.

#### Sensitization

**Conclusion/Summary**

- Skin** : May cause an allergic skin reaction.
- Respiratory** : Not sensitizing

**Mutagenicity**

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Carcinogenicity**

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Reproductive toxicity**

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Teratogenicity**

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

- Information on the likely routes of exposure** : Not available.

**Potential acute health effects**

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation.
- Ingestion** : No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Eye contact** : Adverse symptoms may include the following: redness, irritation
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following: redness, irritation
- Ingestion** : No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Short term exposure**

- Potential immediate effects** : No known significant effects or critical hazards.
- Potential delayed effects** : No known significant effects or critical hazards.

**Long term exposure**

- Potential immediate effects** : No known significant effects or critical hazards.

**Potential delayed effects** : No known significant effects or critical hazards.

#### **Potential chronic health effects**

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**General** : No known significant effects or critical hazards.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Reproductive toxicity** : No known significant effects or critical hazards.

**Interactive effects** :

#### **Toxicokinetics**

**Absorption** :  
**Distribution** : Not available.  
**Metabolism** :  
**Elimination** :

### **11.2. Information on other hazards**

**11.2.1 Endocrine disrupting properties** : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

**11.2.2 Other information** : No known significant effects or critical hazards.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

**Conclusion/Summary** : Harmful to aquatic life with long lasting effects.

### **12.2 Persistence and degradability**

**Conclusion/Summary** : The surfactants used in this mixture are readily biodegradable. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### **12.3 Bioaccumulative potential**

The mixture is free from substances with potential for bioaccumulation

### **12.4 Mobility in soil**

**Soil/Water partition coefficient** : Not available.

**Mobility** : Mixture is highly soluble

### **12.5 Results of PBT and vPvB assessment**

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
Sodium Dodecylbenzenesulfonate	No	No	No	No	No	No	No
Sodium Dodecylbenzenesulfonate	No	No	No	No	No	No	No
Laureth-7	No	No	No	No	No	No	No
Sodium Laureth Sulfate	No	No	No	No	No	No	No
TETRAHYDRALINALOOL	No	No	No	No	No	No	No
HEXYL SALICYLATE	No	No	No	No	No	No	No
BENZYL SALICYLATE	No	No	No	No	No	No	No
HEXYL CINNAMAL	No	No	No	No	No	No	No
Benzisothiazolinone	No	No	No	No	No	No	No
Laureth-7	No	No	No	No	No	No	No
Sodium Laureth Sulfate	No	No	No	No	No	No	No
TETRAHYDRALINALOOL	No	No	No	No	No	No	No
HEXYL SALICYLATE	No	No	No	No	No	No	No
BENZYL SALICYLATE	No	No	No	No	No	No	No
HEXYL CINNAMAL	No	No	No	No	No	No	No
Benzisothiazolinone	No	No	No	No	No	No	No

**12.6 Endocrine disrupting properties** : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

**12.7 Other adverse effects** : The substances used in this mixture are neither a PBT- or a vPvB substance

## SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Yes.

#### European waste catalogue (EWC)

Waste code	Waste designation
20 01 29*	detergents containing hazardous substances

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging	European waste catalogue (EWC)	
Bottle	15 01 02	plastic packaging

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
<b>14.1 UN number or ID number</b>	-	-	-	-
<b>14.2 UN proper shipping name</b>	-	-	-	-
<b>14.3 Transport hazard class(es)</b>	Not regulated.	Not regulated.	Not regulated.	Not regulated.
<b>14.4 Packing group</b>	-	-	-	-
<b>14.5. Environmental hazards</b>	No.	No.	No.	No.

### Additional information

**ADN** : Not regulated.

**IMDG** : Not regulated.

**IATA** : Not regulated.

**14.6 Special precautions for user** : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Maritime transport in bulk according to IMO instruments** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorization

##### Annex XIV

None of the components are listed above the relevant limit.

**Substances of very high concern**

None of the components are listed above the relevant limit.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles**

No listed substance

**Other EU regulations**

**Industrial emissions (integrated pollution prevention and control) - Air** : Not listed

**Industrial emissions (integrated pollution prevention and control) - Water** : Not listed

**Explosive precursors** : Not applicable.

**Ozone depleting substances (EU 2024/590)**

None of the components are listed.

**Prior Informed Consent (PIC) (649/2012/EU)**

None of the components are listed.

**Persistent Organic Pollutants**

None of the components are listed.

**Seveso Directive**

This product is not controlled under the Seveso Directive.

**National regulations**

**Remark** : No additional remark.

**International regulations**

**Chemical Weapon Convention List Schedules I, II & III Chemicals**

**Chemical Weapons Convention List Schedule I Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule II Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule III Chemicals**

None of the components are listed.

**Montreal Protocol**

None of the components are listed.

**Stockholm Convention on Persistent Organic Pollutants**

**Annex A - Elimination - Production**

None of the components are listed.

**Annex A - Elimination - Use**

None of the components are listed.

**Annex B - Restriction - Production**

None of the components are listed.

**Annex B - Restriction - Use**

None of the components are listed.

**Annex C - Unintentional - Production**

None of the components are listed.

**Rotterdam Convention on Prior Informed Consent (PIC)**

**Rotterdam Convention on Prior Informed Consent (PIC) - Industrial**

None of the components are listed.

**Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide**

None of the components are listed.

**Rotterdam Convention on Prior Informed Consent (PIC) - Severely hazardous pesticide**

None of the components are listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals**

**Heavy metals - Annex 1**

None of the components are listed.

**POPs - Annex 1 - Production**

None of the components are listed.

**POPs - Annex 1 - Use**

None of the components are listed.

**POPs - Annex 2**

None of the components are listed.

**POPs - Annex 3**

None of the components are listed.

**Inventory list**

<b>Australia</b>	:	Not determined.
<b>Canada</b>	:	Not determined.
<b>China</b>	:	Not determined.
<b>Eurasian Economic Union</b>	:	<b>Russian Federation inventory:</b> Not determined.
<b>Japan</b>	:	<b>Japan inventory (CSCL):</b> Not determined. <b>Japan inventory (ISHL):</b> Not determined.
<b>New Zealand</b>	:	Not determined.
<b>Philippines</b>	:	Not determined.
<b>Republic of Korea</b>	:	Not determined.
<b>Taiwan</b>	:	Not determined.
<b>Thailand</b>	:	Not determined.
<b>Turkey</b>	:	Not determined.
<b>United States</b>	:	Not determined.
<b>Viet Nam</b>	:	Not determined.

**15.2 Chemical Safety Assessment** : Not applicable

## SECTION 16: Other information

**Abbreviations and acronyms** :

- ATE = Acute Toxicity Estimate
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EUH statement = CLP-specific Hazard statement
- N/A = Not available
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- SGG = Segregation Group
- vPvB = Very Persistent and Very Bioaccumulative

### **Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	On basis of test data [OECD 438+160]
Aquatic Chronic 3, H412	Calculation method

### **Full text of abbreviated H statements**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### **Full text of classifications [CLP/GHS]**

Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1	AQUATIC HAZARD (LONG-TERM) - Category 1
Aquatic Chronic 2	AQUATIC HAZARD (LONG-TERM) - Category 2
Aquatic Chronic 3	AQUATIC HAZARD (LONG-TERM) - Category 3
Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Repr. 2	TOXIC TO REPRODUCTION - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITIZATION - Category 1
Skin Sens. 1A	SKIN SENSITIZATION - Category 1A

Skin Sens. 1B	SKIN SENSITIZATION - Category 1B
---------------	----------------------------------

<b>Training advice</b>	: Workers who work with the product regularly and new employees must undergo regular training or introductory training on risks and prevention and how to behave so as not to endanger themselves and others. The scope of the training cycle is determined by the employer in accordance with local regulations.
<b>Date of printing</b>	: 05.08.2025
<b>Date of issue/ Date of revision</b>	: 05.08.2025
<b>Date of previous issue</b>	: 17.04.2025
<b>Version</b>	: 2.0

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

#### SUMI

Safe Use of Mixtures Information for end-users



**SUMI\_PW\_8a\_1\_G**  
Version 1.0, May 2025

#### ***Transfer of product to a container (bottle/bucket/machine)***

*This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.*

#### **General description of the process covered:**

**Process Category:** PROC 8a

**Environmental Release Category:** ERC 8a


This SUMI applies to professional uses where the product is transferred to or diluted in a container, such as a dispenser, bottle, or bucket. This Safe Use Information is based on the AISE\_SWED\_PW\_8a\_1\_L.

#### **Operational Conditions**



Maximum duration	60 minutes per day.
------------------	---------------------

Range of application / Process conditions	Indoor Use. Process carried out at room temperature. In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

### Risk Management Measures

<b>Measures related to personal protective equipment (PPE), hygiene and health evaluation</b>	Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications. 
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
<b>Environmental measures</b>	Prevent that undiluted product reaches surface waters.
	If appropriate AISE SPERC 8a.1.a.v2 may apply; wide dispersive use resulting in release to municipal sewage treatment plant.

### Additional good practice advice

<b>Don't eat or drink. Don't smoke. Don't use in proximity of open flame.</b>	
<b>Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.</b>	
<b>Spillage instructions</b>	Dilute with fresh water and mop up.
<b>Hygiene practices</b>	Follow the product instructions as specified on the label or on the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

### Additional information depending on product composition

The classification of the product is based on the classified ingredients in the products. All ingredients contributing to the classification of the mixture are mentioned in Section 3 of the SDS.

Relevant limit value of the ingredients on which the exposure assessment is based are stated in Section 8 of the SDS.

### Disclaimer

*This is a generic document for communicating conditions of safe use of a product. This document relates only to conditions of safe use and is not specific to a product. It is the responsibility of the formulator to link this SUMI to a specific product that he is selling.*

*If a SUMI code is mentioned in Section 1 of the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.*

*Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.*

## SUMI

### Safe Use of Mixtures Information for end-users



### SUMI\_PW\_4\_1

Version 1.0, May 2025

### Professional uses; Semi-closed system

*This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.*

### General description of the process covered:

**Process Category:** PROC 4

**Environmental Release Category:** ERC 8a

The SUMI applies to professional uses where products are used in closed process where opportunity for exposure arises. This Safe Use Information is based on the AISE\_SWED\_PW\_4\_1.

### Operational Conditions



Maximum duration	480 minutes per day.
Range of application / Process conditions	Indoor Use. Process carried out at room temperature.

	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

### Risk Management Measures

<b>Measures related to personal protective equipment (PPE), hygiene and health evaluation</b>	See section 8 of the SDS of this product for specifications.
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
<b>Environmental measures</b>	Prevent that undiluted product reaches surface waters.
	If appropriate AISE SPERC 8a.1.a.v2 may apply; wide dispersive use resulting in release to municipal sewage treatment plant.

### Additional good practice advice

<b>Don't eat or drink. Don't smoke. Don't use in proximity of open flame.</b>	
<b>Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.</b>	
<b>Spillage instructions</b>	Dilute with fresh water and mop up.
<b>Hygiene practices</b>	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

### Additional information depending on product composition

The classification of the product is based on the classified ingredients in the products. All ingredients contributing to the classification of the mixture are mentioned in Section 3 of the SDS.
Relevant limit value of the ingredients on which the exposure assessment is based, are stated in Section 8 of the SDS.

### Disclaimer

Version: 2.0

Date of issue/Date of revision: 05.08.2025

Date of previous issue: 17.04.2025

*This is a generic document for communicating conditions of safe use of a product. This document relates only to conditions of safe use and is not specific to a product. It is the responsibility of the formulator to link this SUMI to a specific product that he is selling.*

*If a SUMI code is mentioned in Section 1 of the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.*

*Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.*