



## SAFETY DATA SHEET

### Office Depot Whiteboard Foam Cleaner 400ml

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Office Depot Whiteboard Foam Cleaner 400ml  
**Product number** 3436276,ZP  
**Internal identification** AWBF400OD

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning Product  
**Uses advised against** At this moment in time we do not have information on use restrictions. They will be included in this safety data sheet when available

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** OFFICE DEPOT Europe B.V.  
 Columbusweg 33  
 5928 LA Venlo  
 The Netherlands

+31 (0) 77 323 8888  
 +31 (0) 77 323 8912  
 Quality.EU@OfficeDepot.com

##### 1.4. Emergency telephone number

**Emergency telephone** +31 (0) 77 323 8888

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification

**Physical hazards** Aerosol 3 - H229  
**Health hazards** Not Classified  
**Environmental hazards** Not Classified

**Human health** Contact with liquefied gas might cause frostbites, in some cases with tissue damage.

##### 2.2. Label elements

**Signal word** Warning  
**Hazard statements** H229 Pressurised container: may burst if heated

## Office Depot Whiteboard Foam Cleaner 400ml

### Precautionary statements

P102 Keep out of reach of children.  
 P251 Do not pierce or burn, even after use.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P260 Do not breathe vapour/spray.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
 P211 Do not spray on an open flame or other ignition source.

### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>1,1,1,2-TETRAFLUOROETHANE R134A</b> CAS number: 811-97-2                      EC number: 212-377-0                      REACH registration number: 01-2119459374-33-XXXX	<b>1-5%</b>
<b>Classification</b> Press. Gas, Liquefied - H280	<b>Classification (67/548/EEC or 1999/45/EC)</b> -
<b>PROPAN-2-OL</b> CAS number: 67-63-0                      EC number: 200-661-7                      REACH registration number: 01-2119457558-25-XXXX	<b>1-5%</b>
<b>Classification</b> Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	<b>Classification (67/548/EEC or 1999/45/EC)</b> F;R11 Xi;R36 R67
<b>DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED</b> CAS number: 64742-47-8                      EC number: 265-149-8                      REACH registration number: 01-2119484819-18-XXXX	<b>1-5%</b>
<b>Classification</b> Asp. Tox. 1 - H304	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R65
<b>2-BUTOXYETHANOL</b> CAS number: 111-76-2                      EC number: 203-905-0                      REACH registration number: 01-2119475108-36-XXXX	<b>1-5%</b>
<b>Classification</b> Eye Irrit. 2 - H319 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Acute Tox. 4 - H302 Acute Tox. 4 - H312	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R20/21/22 Xi;R36/38

## Office Depot Whiteboard Foam Cleaner 400ml

<b>d-LIMONENE</b> <span style="float: right;"><b>&lt;1%</b></span>		
CAS number: 5989-27-5	EC number: 227-813-5	REACH registration number: 01-2119529223-47-XXXX
M factor (Acute) = 10	M factor (Chronic) = 1	
<b>Classification</b>		<b>Classification (67/548/EEC or 1999/45/EC)</b>
Flam. Liq. 3 - H226		R10 R43 Xi;R38 N;R50/53
Skin Irrit. 2 - H315		
Skin Sens. 1B - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments** No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Keep affected person warm and at rest. Get medical attention immediately.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Vapours in high concentrations are anaesthetic. Symptoms following overexposure may include the following: Headache. Fatigue. Dizziness. Central nervous system depression.
-------------------	---

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

#### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Vapours are heavier than air and may travel along the floor and accumulate in the bottom of containers. Vapours may be ignited by a spark, a hot surface or an ember. Containers can burst violently or explode when heated, due to excessive pressure build-up.
<b>Hazardous combustion products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

#### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Move containers from fire area if it can be done without risk.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## Office Depot Whiteboard Foam Cleaner 400ml

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**            Avoid inhalation of vapours and contact with skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions**    Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**        Absorb in vermiculite, dry sand or earth and place into containers.

#### 6.4. Reference to other sections

**Reference to other sections**    Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. Collect and dispose of spillage as indicated in Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions**                Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**             Store at moderate temperatures in dry, well ventilated area.

#### 7.3. Specific end use(s)

**Specific end use(s)**                The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### **1,1,1,2-TETRAFLUOROETHANE R134A**

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 4240 mg/m<sup>3</sup>

##### **PROPAN-2-OL**

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

##### **2-BUTOXYETHANOL**

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m<sup>3</sup>

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

#### PROPAN-2-OL (CAS: 67-63-0)

##### **DNEL**

Industry - Dermal; : 888 mg/kg/day

Industry - Inhalation; : 500 mg/m<sup>3</sup>

Consumer - Dermal; : 319 mg/kg/day

Consumer - Inhalation; : 89 mg/m<sup>3</sup>

Consumer - Oral; : 26 mg/kg/day

## Office Depot Whiteboard Foam Cleaner 400ml

<b>PNEC</b>	- Fresh water; 140.9 mg/l
	- Marine water; 140.9 mg/l
	- Sediment; 552 mg/kg
	- Soil; 28 mg/kg

### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.
<b>Eye/face protection</b>	The following protection should be worn: Chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. To protect hands from chemicals, gloves should comply with European Standard EN374.
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
<b>Hygiene measures</b>	Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Do not smoke in work area.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn. Gas and combination filter cartridges should comply with European Standard EN14387.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Aerosol. Liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Characteristic.
<b>pH</b>	pH (concentrated solution): 7 - 8
<b>Initial boiling point and range</b>	>100°C @
<b>Vapour pressure</b>	@ °C
<b>Relative density</b>	0.995 @ @ 20°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Auto-ignition temperature</b>	> 750°C

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Not available. Will not polymerise.
---	-------------------------------------

## Office Depot Whiteboard Foam Cleaner 400ml

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition. Avoid contact with acids and alkalis.

### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Hydrogen fluoride (HF). Carbonyl fluoride

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Other health effects** There is no evidence that the product can cause cancer.

#### Acute toxicity - oral

**ATE oral (mg/kg)** 153,803.87

#### Acute toxicity - dermal

**ATE dermal (mg/kg)** 96,898.2

#### Acute toxicity - inhalation

**ATE inhalation (vapours mg/l)** 66.07

**General information** No specific health hazards known.

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Headache. Fatigue. Nausea, vomiting.

## SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

### 12.1. Toxicity

**Acute toxicity - fish** No information required.

**Acute toxicity - aquatic invertebrates** No information required.

**Acute toxicity - aquatic plants** No information required.

**Acute toxicity - microorganisms** No information required.

### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

### 12.4. Mobility in soil

**Mobility** The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

### 12.5. Results of PBT and vPvB assessment

## Office Depot Whiteboard Foam Cleaner 400ml

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Do not puncture or incinerate, even when empty.

**Disposal methods** Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

**General** As supplied, this product is consigned under the Limited Quantities provisions.

### 14.1. UN number

**UN No. (ADR/RID)** 1950

**UN No. (IMDG)** 1950

**UN No. (ICAO)** 1950

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** AEROSOLS

**Proper shipping name (IMDG)** AEROSOLS

**Proper shipping name (ICAO)** AEROSOLS

**Proper shipping name (ADN)** AEROSOLS

### 14.3. Transport hazard class(es)

**ADR/RID class** 2

**ADR/RID label** 2.2

**IMDG class** 2.2

**ICAO class/division** 2.2

### Transport labels



### 14.4. Packing group

**ADR/RID packing group** N/A

**IMDG packing group** N/A

**ICAO packing group** N/A

### 14.5. Environmental hazards

## Office Depot Whiteboard Foam Cleaner 400ml

### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

EmS F-D, S-U

Tunnel restriction code (E)

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
<b>EU legislation</b>	Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.
<b>Guidance</b>	Workplace Exposure Limits EH40.
<b>Authorisations (Title VII Regulation 1907/2006)</b>	No specific authorisations are known for this product.
<b>Restrictions (Title VIII Regulation 1907/2006)</b>	No specific restrictions on use are known for this product.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Issued by</b>	Toni Ashford
<b>Revision date</b>	20/10/2015
<b>Revision</b>	4
<b>SDS number</b>	20901



## Office Depot Whiteboard Foam Cleaner 400ml

### Risk phrases in full

Not classified.  
R11 Highly flammable.  
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R22 Harmful if swallowed.  
R36 Irritating to eyes.  
R36/38 Irritating to eyes and skin.  
R38 Irritating to skin.  
R41 Risk of serious damage to eyes.  
R65 Harmful: may cause lung damage if swallowed.  
R67 Vapours may cause drowsiness and dizziness.

### Hazard statements in full

H225 Highly flammable liquid and vapour.  
H225 Highly flammable liquid and vapour.  
H226 Flammable liquid and vapour.  
H229 Pressurised container: may burst if heated  
H229 Pressurised container: may burst if heated  
H280 Contains gas under pressure; may explode if heated.  
H302 Harmful if swallowed.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H304 May be fatal if swallowed and enters airways.  
H312 Harmful in contact with skin.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H336 May cause drowsiness or dizziness.  
H336 May cause drowsiness or dizziness.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.